

TABLE 3.—*Hydrology of Gatun Lake watershed. Dry season 1925, January to April, inclusive*

[Drainage area, 1,320 square miles]

(Gatun Lockages, 1,542; Pedro Miguel Lockages, 1,655)

Gatun Lake	Elevation	Date
Monthly mean.....	85.28	
Maximum.....	87.10	Jan. 1
Minimum.....	82.97	Apr. 25

	Quantities	
	Million cubic feet	Second-feet
Gatun spillway, waste.....	1,788.2	172.5
Gatun spillway, leakage.....	37.2	3.6
Gatun Locks, lockages and tests.....	4,868.1	469.5
Gatun Locks, leakage.....	95.0	9.2
Gatun hydroelectric plant.....	15,857.6	1,529.5
*Pedro Miguel Locks, lockages and tests.....	4,163.2	401.5
*Pedro Miguel Locks, leakage.....	54.1	5.2
*Maintaining Miraflores Lake through Pedro Miguel Locks.....	0.0	0.0
Pumping at Gamboa.....	131.2	12.7
Brazos Brook Reservoir.....	211.6	20.4
*Pumping at Gaillard Cut.....	0.0	0.0
a. Total outflow.....	27,206.2	2,624.1
b. Storage (+increase, -decrease).....	-17,936.5	-1,730.0
c. Net yield (a±b).....	9,269.7	894.1
d. Evaporation (31.987").....	8,359.5	806.3
e. Total yield (c+d).....	17,629.2	1,700.4
f. Rainfall on lake (9.62").....	3,634.3	350.5
g. Yield from land area (e-f).....	13,994.9	1,349.9
*Transferred to Miraflores Lake.....	4,217.3	406.7

	Mean area, square miles	Rainfall, inches	Run-off, inches	Percentage, run-off
Lake surface.....	163.9	9.62	9.62	100
Land area.....	1,156.1	8.71	5.23	60
Total watershed.....	1,320	8.82	5.73	65

RIVER REGULATION

[Regulation of Rivers without Embankments, as Applied in the Training Works, at the Headwaters of the Rangoon River, Burma (locally known as the Myitnaka Training Works). By F. A. Leete, assisted by G. C. Cheyne]

In Nature, June 6, 1925, Mr. Brysson Cunningham presented a very interesting review of the above publication, and below are given the essential features thereof.

The basic proposition advanced is that a river may be left to effect its own training without the use of embankments of any kind, including all artificial aids to bank formation, with the exception of sticks of bamboo. The scene of operations was among the headwaters of the Rangoon River in Burma, used mainly for the transportation of teak logs. The streams are fed from torrents from the hills with an extreme altitude of about 2,500 feet, the annual rainfall varying from 60 to 120 inches. During the monsoon season high floods occur at frequent intervals, carrying immense quantities of sand and clay in suspension. At the foot of the hills the flood waters spread out over the plain submerging the paddy fields and producing a series of swamps, with the result that the teak logs were left stranded with much resulting loss.

Formerly embankments, at first high and then low, were constructed at great cost, but in 1917 came the inspiration that no embankments at all were necessary. It had been observed that soil deposits occurred around stranded logs and other debris; therefore a trial fence of bamboo stakes was made along the desired line of embankment. The method was simple. After the proposed line of channel had been pegged out, following the natural depressions as a rule, all growth was removed to

a width of 150 feet on each side of the line. One hundred feet on each side of the line, fences were made by driving into the ground pointed bamboos, 5 or 6 feet long, and about 9 inches apart, with the tops dressed to a steady slope, and about 3 feet above ground level. The stakes were lashed to a horizontal rail about 6 inches from their tops, with coir (coconut fiber) rope.

The outcome fully justified the original conception. The fences caught much small rubbish and formed a barrier checking the flow of the water. This check caused a deposit of the heavier sand particles on the streamside of the fence, while the finer particles were carried beyond it. The stakes (fence) became imbedded in the deposit, which gradually accreted to heights ranging up to 9 or 10 feet or even more. Thus natural embankments were formed and the river channel completely defined. When the first row of stakes is buried, a second row may be driven, but this is not often necessary. Finally the river bank becomes so high that the channel is large enough to carry the whole normal flood water. The forming banks serve as well to raise the level of the surrounding country, thus reclaiming considerable tracts for cultivation. Bad bends in the river are eliminated by short cuts.

The method is not one of universal application, but it is suitable in the case of streams originating as hillside torrents and heavily charged with detritus and sandy silt, chiefly in their upper reaches. Considerable variation in water level and frequent overtopping of banks in the early stages are features of the course of channel formation, and when these are lacking, the method can not be utilized, or at any rate, not so effectively.—H. C. F.

A CONCRETE RAIN-GAUGE SUPPORT

[Extracts from a memorandum by S. D. Flora, Weather Bureau, Topeka, Kans.]

An excellent form of support for a rain gauge that will last indefinitely consists of a cement block 12 inches square into which four gas pipes were inserted before the cement had set, so that the can of the rain gauge is held firmly by them, but with enough space so that it can be lifted out. The gas pipes project 21 inches above the cement.

The block need not, of course, be exactly of the size specified above. It is a good idea in practice to bury part of it so that the bottom of the gauge is held about 3 inches above the ground. The cost of this support should not exceed \$3.

METEOROLOGICAL SUMMARY FOR SOUTHERN SOUTH AMERICA, AUGUST, 1925

[Reported by Señor J. B. Navarrete, El Salto Observatory, Santiago, Chile. Translation by B. M. V.]

The month of August was relatively dry in the central zone of Chile and somewhat rainy in the south during the first 15 days. From the 2d to the 6th important atmospheric depressions crossed the southern region, causing general rains over nearly the whole of it. The maximum precipitation in 24 hours occurred on the 5th at Valdivia. On the 4th there were local rains on the high plateau of Bolivia and in the interior of Tacna Province.

On the 7th and 8th an anticyclonic center was established in the interior of the continent at latitude 40°, with a fall of temperature and fine weather.

From the 9th to the 12th there was a renewed development of atmospheric disturbances in the southern region; general rains occurred, and on the 11th heavy snowfall occurred in Magallanes Province.

Between the 13th and 15th a large anticyclone formed over the southcentral part of the continent, with the maximum pressure 774 mm. (1,032 mb.) at Cipolleti (Argentina). Fine, cold weather was the rule, with freezing temperatures.

On the 16th a depression appeared in the northwest, along the Pacific coast off Coquimbo; on the 17th it influenced the central zone of Chile, giving local rains; on the 18th took place the phenomenon of the compression of the cyclone by strong converging winds of excessive velocity originating in the southern anticyclone (according to the laws of Guilbert). On the 18th local rains fell in northern Argentina, in Buenos Aires Province, and in parts of Uruguay.

During the 19th-20th an anticyclonic régime dominated the continent.

On the 21st a large depression influenced the southern area, causing a heavy rain and wind storm, the bad weather and rains lasting in the southern part of this area until the 23d. From the 24th to the 30th the anticyclonic régime persisted over the greater part of the continent.

In Bolivia, during the 25th and 26th, violent electrical storms broke over La Paz and Sucre, with rain and hail.

On the 30th and 31st a severe hot wave invaded the central zone of Chile; at Los Andes the thermometer registered 30° C. in the shade.

BIBLIOGRAPHY

C. FITZHUGH TALMAN, in Charge of Library

RECENT ADDITIONS

The following have been selected from among the titles of books recently received as representing those most likely to be useful to Weather Bureau officials in their meteorological work and studies.

- Almeida Lima, João Maria de, comp.**
A chuva e outros hidro-meteoros em Portugal. Lisboa. 1916. 72 p. plates. 36½ cm.
O clima de Portugal continental. Lisboa. 1922. 81 p. 33½ cm.
- Denmark. Danske meteorologiske institut.**
Isforholdene i de Arktiske have samt havets overfladetemperatur i det nordlige Atlanterhav og Davis-Stræde. (State of the ice in the Arctic seas and the surface temperature of the sea in the northern Atlantic-ocean and in Davis-Strait.) 1923-1924. København. 1924-25. 31½ cm. (Sært.; Naut. met. aarb., 1923-24.)
- Dobie, J. Frank.**
Weather wisdom of the Texas-Mexican border. 13 p. 23½ cm. (Repr.: Pub. Texas folk-lore soc., no. 2, 1923.)
- Enström, Axel F.**
On periodicities in climatic and economic phenomena and their covariation. Stockholm. n. d. 56 p. illus. 24 cm. (Ingeniörsvetenskapsakademiens handlingar nr. 31, 1924.)
- Froc, Louis.]**
Typhoon of August 5th to 23rd, 1924. Shanghai. 1925. 12 p. plate. 22½ cm.
- Greenburg, Leonard.**
Studies on the industrial dust problem. no. 3. Comparative field studies of the Palmer apparatus, the konimeter, and the impinger methods for sampling aerial dust. [Washington.] 1925. p. 1591-1603. 23½ cm. (Public health reports. v. 40, no. 31, July 31, 1925.)
- Hamed, Mahmoud.**
Climate of Alexandria. Cairo. 1925. 62 p. plates. 28 cm. (Min. pub. works, Egypt. Phys. dept. paper no. 19.)
- Hunter, H. C.**
Tornadoes of the United States, 1916-1923. Washington. 1925. p. 198-204. figs. 30½ cm. (Repr.: Mo. wea. rev., v. 53, May, 1925.)
- Lisboa. Observatório central meteorológico.**
Comunicados meteorológicos. Instruções para a redacção em cifra, dos telegramas e radiotelegramas meteorológicos internacionais. Lisboa. 1923. 14 p. 22½ cm.
- Das Luftschiff als Forschungsmittel in der Arktis.** Eine Denkschrift mit vier Anlagen. [Berlin.] n. d. 62 p. plates (fold.) 23½ cm. (Herausgegeben von der Internationalen Studiengesellschaft zur Erforschung der Arktis mit dem Luftschiff, 7. Oktober 1924.)
- McConnell, W. J., & others.**
Basal metabolism before and after exposure to high temperatures and various humidities. Washington. 1925. 14 p. figs. 23½ cm. (Repr.: Pub. health rep., no. 977, Dec. 5, 1924.)

- Robertson, C. L.**
Review of the abnormal rainfall season of 1924-25. Salisbury. n. d. 11 p. plates. 24½ cm. (Repr.: Rhodesia agric. journ., Bull. no. 542. June, 1925.)
- Shantz, Homer Le Roy & Marbut, C. F.**
Vegetation and soils of Africa . . . with a section on the land classification of Africa . . . and a note on a rainfall map of Africa, by J. B. Kincer. New York. 1923. x, 263 p. illus. (maps.) plates. 21 cm. (Amer. geogr. soc. Research series no. 13.)
- Szymkiewicz, Dezydery.**
Études climatologiques. no. 6. Warszawa. n. d. p. 115-137. illus. plates (part fold.) 24½ cm. (Extr.: Acta soc. bot. Poloniae. v. 3, nr. 1, 1925.)
- Talman, Charles F.**
Work of the weather men. Film slide manual. Buffalo. n. d. 14 p. 22 cm. [Prepared to accompany a set of film-slides for use in projector lantern.]
- Viger, A.**
L'Atmosphère. [Paris. c1925.] 192 p. illus. plates. 18½ cm.
- Ward, Robert DeC.**
Importance of field-work in the study of climates. p. 64-77. 24½ cm. (Repr.: Proc. Amer. phil. soc., v. 44, no. 1, 1925.)
- Werenskiöld, Werner.**
Fysisk geografi i geofysikk, meteorologi, oceanografi. Oslo. 1925. vii, 347 p. illus. 24 cm.
- Wolfer, A.**
Observed sunspot relative numbers, 1749-1924. p. 83-86. 24 cm. (Terr. mag. & atmos. elec., June, 1925.)

RECENT PAPERS BEARING ON METEOROLOGY

The following titles have been selected from the contents of the periodicals and serials recently received in the library of the Weather Bureau. The titles selected are of papers and other communications bearing on meteorology and cognate branches of science. This is not a complete index of all the journals from which it has been compiled. It shows only the articles that appear to the compiler likely to be of particular interest in connection with the work of the Weather Bureau.

- Akademie der Wissenschaften. Sitzungsberichte. Wien. Abt. IIa. Band 155. 1924.**
- Schlenck, Walter.** Experimentelle Untersuchungen über die Charakteristik des Stromes in schwach ionisierten Gasen. p. 29-33. (Heft 1 u. 2.)
- Schweidler, Egon.** Über die Charakteristik des Stromes in schwach ionisierten Gasen. p. 23-27. (Heft 1 u. 2.)
- Exner, Felix M.** Über die Auslösung von Kälte- und Wärmeeinbrüchen in der Atmosphäre. p. 101-115. (Heft 3 u. 4.)
- Wagner, Arthur.** Eine Bemerkenswerte 16jährige Klimaschwankung mit einem Anhang: Mögliche Perioden verschiedener Wellenlänge. p. 169-224. (Heft 5 u. 6.)